

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1. (Cancelled).

Claim 2. (Previously Presented).

Method for the production of a solid fragrance concentrate comprising

absorbing a liquid fragrance or fragrance mixture in a solid or solid mixture, said solid or solid mixture comprising one or more surfactants and/or co-surfactants that are solid at normal temperature;

by dissolving the liquid fragrance or the fragrance mixture in the solid or solid mixture at a temperature that lies above its solidification temperature; and

then solidifying by means of cooling of the solution;

wherein 10 to 60 wt.-% of a liquid fragrance or fragrance mixture are dissolved in 90 to 40 wt.-% of a fatty alcohol C22, above its solidification point between 66 and 70°C, and then solidified by cooling the solution to normal temperature.

Claim 3. (Previously Presented).

Method for the production of a solid fragrance concentrate comprising

absorbing a liquid fragrance or fragrance mixture in a solid or solid mixture, said solid or solid mixture comprising one or more surfactants and/or co-surfactants that are solid at normal temperature;

by dissolving the liquid fragrance or the fragrance mixture in the solid or solid mixture at a temperature that lies above its solidification temperature; and then

solidifying by means of cooling of the solution;

wherein 10 to 60 wt.-% of a liquid fragrance or fragrance mixture are dissolved in a mixture of 45 to 20 wt.-% of a fatty alcohol C22 and 45 to 20 wt.-% of a fatty acid, above a solidification point of the fatty alcohol/fatty acid mixture, and then solidified by cooling the solution to normal temperature.

Claim 4. (Previously Presented).

Method for the production of a solid fragrance concentrate comprising

absorbing a liquid fragrance or fragrance mixture in a solid or solid mixture, said solid or solid mixture comprising one or more surfactants and/or co-surfactants that are solid at normal temperature;

by dissolving the liquid fragrance or the fragrance mixture in the solid or solid mixture at a temperature that lies above its solidification temperature; and then

solidifying by means of cooling of the solution;

wherein 10 to 60 wt.-% of a liquid fragrance or fragrance mixture are dissolved in a mixture of 45 to 20 wt.-% of a fatty alcohol C22 and 45 to 20 wt.-% of a fatty alcohol ethoxylate, above a solidification point of the fatty alcohol/fatty alcohol ethoxylate of 55 to 60°C, and then solidified by cooling the solution to normal temperature.

Claim 5. (Previously Presented).

Method for the production of a solid fragrance concentrate comprising

absorbing a liquid fragrance or fragrance mixture in a solid or solid mixture, said solid or solid mixture comprising one or more surfactants and/or co-surfactants that are solid at normal temperature;

by dissolving the liquid fragrance or the fragrance mixture in the solid or solid mixture at a temperature that lies above its solidification temperature; and then

solidifying by means of cooling of the solution;

wherein 10 to 60 wt.-% of a liquid fragrance or fragrance mixture are dissolved in a mixture of 45 to 20 wt.-% of a fatty

alcohol C22 and 45 to 20 wt.-% polyethylene glycol, above a solidification point of the fatty alcohol/polyethylene glycol mixture of 55 to 60°C, and then solidified by cooling the solution to normal temperature.

Claim 6. (Currently Amended).

Method as recited in claim 1, wherein the fragrance concentrate is solidified in a shaping process.

Claim 7. (Previously Presented).

Method as recited in claim 6, wherein the fragrance concentrate is formed into tablets.

Claim 8. (Previously Presented).

Method as recited in claim 6, wherein the fragrance concentrate is granulated.